



Yuasa Scheda Tecnica

Yuasa YBX3642 - Super Heavy Duty Battery

Prestazione

Tensione	12V
Capacità (20 ore)	110Ah
Corrente di spunto A (EN1)	925A

Dimensioni

Lunghezza	329mm
Profondità	173mm
Altezza	240mm

Pesi e Misure

Peso medio con acido	25kg
----------------------	------



Caratteristiche del Monoblocco

Tipo di monoblocco	GR31A BCI
Schema polarità	9
Fissaggi alla base	N
Indicatore dello stato di carica	✓
Maniglie	✓
Tipo di coperchio	Doppio Coperchio SMF


Tecnologia

Pastiglia antideflagrante	✓
Tecnologia	Ca/Ca
Corrente di carica raccomandata	5A
Performance Marking	W3-C2-V3-E2


Tipologia dei terminali

T1


Standard DIN Post



Positive Terminal





Negative Terminal



9

+

N



Schema di Collegamento

Fissaggio batteria

Scheda tecnica prodotta su E&OE



Yuasa Technical Data Sheet

Yuasa YBX3642 - Super Heavy Duty Battery

Performance

Voltage	12V
Capacity (20-hour)	110Ah
Cold Cranking Amps (EN1)	925A

Dimensions

Length	329mm
Width	173mm
Height	240mm

Weights & Measures

Mean Weight with Acid	25kg
-----------------------	------



Container Features

Case Type	GR31A BCI
Cell Layout	9
Hold Down	N
State of Charge Indicator	✓
Handles	✓
Lid Type	SMF Double Lid


Technology

Flame Arrestor Technology	✓
Recommended Charge Rate	Ca/Ca 5A
Performance Marking	W3-C2-V3-E2

Terminal Type

T1


Standard DIN Post



Positive Terminal

Negative Terminal

Cell Assembly Layout



9

Battery Hold-down



Data Sheet generated on 26/03/2021 - E&OE